



## Longse NVR Price List for Distributor

Entry Date:2014.1.20


Ver.: V201401A


### H.264 4CH NVR

Model No.	<50PCS USD/SET	≥50PCS USD/SET	Specification	Products Show
LS-N2004PD	\$38	\$36	IP Camera Input: 4CH(1920×1080, 1280×960, 1280×720,etc)	
			Video output: 1-channel VGA Output and 1-channel HDMI output	
			Compression Method: H.264	
			Recording resolution: 4CH*1080p/ 4CH×960P/4CH×720P,etc	
			Preview resolution: 4xD1 /1x1080P; Playback resolution: 1080Px1	
			Hexaplex operation simultaneously: Preview, recording, playback, and network live, backup, playback	
			1 RJ-45 Ethernet connector, Static IP , Support Internet Explorer and special client software	
			2×USB	
			1 SATA Hard Disk interface (2.5'/3.5' SATA,Up to 4TB)	
			Backup: USB2.0	
			Support remote view by Mobilephone	
			Standard Color: White Optional Color: Black (Model LS-N2004PDB)	
			Dimensions (L×W×H): 215*215*53(mm) weight: 2kg	


LS-N2004PK	\$38	\$36	IP Camera Input: 4CH(1920×1080, 1280×960, 1280×720,etc)	
			Video output: 1-channel VGA Output and 1-channel HDMI output	
			Compression Method: H.264	
			Recording resolution: 4CH*1080p/ 4CH×960P/4CH×720P,etc	
			Preview resolution: 4xD1 /1x1080P; Playback resolution: 1080Px1	
			Hexaplex operation simultaneously: Preview, recording, playback, and network live, backup, playback	
			1 RJ-45 Ethernet connector, Static IP , Support Internet Explorer and special client software	
			2×USB	
			1 SATA Hard Disk interface (2.5'/3.5' SATA,Up to 4TB)	
			Backup: USB2.0	
			Support remote view by Mobilephone	
			Standard Color: White Optional Color: Black (Model LS-N2004PKB)	
			Dimensions (L×W×H): 206*206*51 (mm) weight: 2kg	


### H.264 9CH NVR


Model No.	<50PCS USD/SET	≥50PCS USD/SET	Specification	Products Show
LS-N2109U	\$65	\$63	IP Camera Input: 9CH(1920×1080, 1280×960, 1280×720,etc)	
			Video output: 1-channel VGA Output and 1-channel HDMI output	
			Compression Method: H.264	
			Recording resolution: 9CH*1080p/ 9CH×960P/9CH×720P,etc	
			Preview resolution: 9xD1/4xD1 /1x1080P; Playback resolution: 720P x 4/1080Px1	
			Hexaplex operation simultaneously: Preview, recording, playback, and network live, backup, playback	
			1 RJ-45 Ethernet connector, Static IP , Support Internet Explorer and special client software	
			2 × USB	
			1 SATA Hard Disk interface (Up to 4TB)	
			Backup: USB2.0	
			Support remote view by Mobilephone	
			Dimensions (L×W×H): 354×245mm×45mm, weight: 4.0kg	

Model No.	<50PCS USD/SET	≥50PCS USD/SET	Specification	Products Show
LS-N2109K	\$65	\$63	IP Camera Input: 9CH(1920×1080, 1280×960, 1280×720,etc)	
			Video output: 1-channel VGA Output and 1-channel HDMI output	
			Compression Method: H.264	
			Recording resolution: 9CH*1080p/ 9CH×960P/9CH×720P,etc	
			Preview resolution: 9xD1/4xD1 /1x1080P; Playback resolution: 720P x 4/1080Px1	
			Hexaplex operation simultaneously: Preview, recording, playback, and network live, backup, playback	
			1 RJ-45 Ethernet connector, Static IP , Support Internet Explorer and special client software	
			2 × USB	
			1 SATA Hard Disk interface (Up to 4TB)	
			Backup: USB2.0	
			Support remote view by Mobilephone	
			Dimensions (L×W×H): 354×245mm×45mm, weight: 4.0kg	

## H.264 16CH NVR

Model No.	<50PCS USD/SET	≥50PCS USD/SET	Specification	Products Show
LS-N3116D	\$109	\$106	IP Camera Input: 16CH(1920×1080, 1280×960, 1280×720,etc)	
			Video output: 1-channel VGA Output and 1-channel HDMI output	
			Compression Method: H.264	
			Recording resolution: 16CH*1080p/ 16CH×960P/16CH×720P,etc	
			Preview resolution: 16xD1/9xD1 /1x1080P; Playback resolution: 1080P x 4	
			Hexaplex operation simultaneously: Preview, recording, playback, and network live, backup, playback	
			1 RJ-45 Ethernet connector, Static IP , Support Internet Explorer and special client software	
			2 × USB	
			2 SATA Hard Disk interface (Up to 8TB)	
			Backup: USB2.0	
			Support remote view by Mobilephone	
			Dimensions (L×W×H): 405mm×330mm×65mm, weight: 6.0kg	

LS-N3116E	\$109	\$106	IP Camera Input: 16CH(1920×1080, 1280×960, 1280×720,etc)	
			Video output: 1-channel VGA Output and 1-channel HDMI output	
			Compression Method: H.264	
			Recording resolution: 16CH*1080p/ 16CH×960P/16CH×720P,etc	
			Preview resolution: 16xD1/9xD1 /1x1080P; Playback resolution: 1080P x 4	
			Hexaplex operation simultaneously: Preview, recording, playback, and network live, backup, playback	
			1 RJ-45 Ethernet connector, Static IP , Support Internet Explorer and special client software	
			2 × USB	
			2 SATA Hard Disk interface (Up to 8TB)	
			Backup: USB2.0	
			Support remote view by Mobilephone	
			Dimensions (L×W×H): 405mm×325mm×65mm, weight: 6.0kg	

Model No.	<50PCS USD/SET	≥50PCS USD/SET	Specification	Products Show
LS-N3116H	\$109	\$106	IP Camera Input: 16CH(1920×1080, 1280×960, 1280×720,etc)	
			Video output: 1-channel VGA Output and 1-channel HDMI output	
			Compression Method: H.264	
			Recording resolution: 16CH*1080p/ 16CH×960P/16CH×720P,etc	
			Preview resolution: 16xD1/9xD1 /1x1080P; Playback resolution: 1080P x 4	
			Hexaplex operation simultaneously: Preview, recording, playback, and network live, backup, playback	
			1 RJ-45 Ethernet connector, Static IP , Support Internet Explorer and special client software	
			2 × USB	
			2 SATA Hard Disk interface (Up to 8TB)	
			Backup: USB2.0	
			Support remote view by Mobilephone	
			Dimensions (L×W×H): 405mm×325mm×65mm, weight: 6.0kg	
Price Terms:		Say US\$ , EX-Works Guangzhou		
Terms of payment:		T/T, L/C, Paypal, West Union		
Warranty:		Two Years after shipment date		
Attention:		The Unit price fluctuates according to the change of parameters and market. And the price above is not including the delivery charge and other expenses		